- 2023 -CANOGA PARK & LAWNDALE








Rebar & Fabrication



At RJ's Construction Supplies, our Experienced Team of Professionals is Dedicated to Providing High Quality Rebar & Rebar Fabrication Services. With Decades of Experience in the Construction Industry, We Are Committed to Providing our Customers with Superior Quality, Cost-Effective Solutions to Meet their Needs. Contact Us Today and Let RJ's Help You with Your Next Project!

FOR ALL YOUR FABRICATION NEEDS

REBAR IN STOCK



#3-40D

FABRICATION OPTIONS



L-Bars, Sure Tie & J-Hooks



Caissons



Rebar Rings



Our delivery system offers convenience and flexibility for customers. With just a call, you can have your items delivered straight to your job-site saving you time and energy. Take advantage of our delivery system and enion the ease of having your orders delivered to you.
















With you Way Step of the Way

SLATE STONE

www.rjsconstructionsupply.com

RJ's Understands that Planning and Executing a Paver Project can be Daunting. You're Not Alone, Our Team of Experts are Dedicated to Guiding you Through Every Step of the Process; from Ordering the Necessary Materials to Ensuring the Final Product Exceeds Expectations. Working with RJ's Ensures that Your Paver Project is Completed on Time and Within Budget. With our Expertise we Assure every Contractor will Have the Needed Assistance to have A Beautiful and Durable Final Product that Provides Value to Any Property.





POLYMERIC SAND 60LBS.



Concrete Mix High-Strength



Stock:90lbs. Bags

- 4500 PSI
- Foot Traffic in 24 Hours – Vehicle Traffic in 72Hrs.
- Strength & Consistency for every Project – Slabs, Footings,

Post Setting, Stairs, & More

Silica Sand / Silver Sand



Stock:100lbs.Bags #30, #20, #16

- Odorless & Chemical-Free Sand is Environment Friendly
- Ideally used While Gardening, Landscaping, Cement Mixers, etc.
- Silica Sand is Made for Providing A Consistent & Uniform Mix

Spec-Mix Dry Mortar



Stock:90lbs. & 69lbs. Bags

- Used in the Application of Brick, Block & Stone
- Factory-blended for Consistency
- Meets ASTM C270 Standards
- 120min. Working Time
- •1,800 PSI

LaHabra Stucco (16/20 & 20/30)



Stock:90lbs. Bags Base 100 & 200

- High-Quality
 Stucco for
 Enhanced Durability
- Resists Termites, Rotting, & Fungus for Long-Term Use
- Ensures Superior
 Fire Protection for
 Added Safety





Cordless 1" SDS-Plus Bulldog **Rotory Hammer Kit 8.0 AH**

- Kick-Back Control technology
- Electronic Motor and Cell Protection
- Includes: Two (2) Lithium-Ion 8.0 Ah Performance Batteries & Charger



SKU#: BOSGBH18V-26DK24

4.5" 6-Amps Sliding Switch **Corded Angle Grinder**

- Powerful 6.0 Amp Motor Delivers 11,000 (no-load) RPM
- Epoxy-coated Field Windings **Provides Protection Against**



7-1/4" Worm Drive **Circular Saw**

- Light Weight Magnesium Motor Housing - Lighter Weight Saw Reduces User Fatigue for Less Down Time
- Powerful Motor Delivers 5.300 RPM, Includes 53° Bevel Capacity



SKU#: BOSCSW41

The Brute 120-Volt Corded **Demolition Hammer**

- Active Vibration Control that Reduces Vibration for All-day Jobs
- Ergonomic shock absorbing Handles for Greater User Comfort
- Outstanding Impact Energy of 35 Ft-Lbs for Tool Weighing Just 63 Lbs Slider Closed



1-1/8 in. Hex Corded 35 lb. **Demolition Hammer**

- Powerful 730-1.450 BPM & 34.9J/25.7ft. lbs of Impact Energy
- Soft Start Provides More Control & Better Accuracy
- 14Amp Motor Built with Field-Core.



18V LXT Lithium-Ion Corded **Work Light (Tool Only)**

- 3-Mode Operation Delivers up to 3.000 Lumens
- Offers the Convenience of Cordless or Corded Operation
- 3-year Limited Warranty

SKU#: MAKDML811

While Supplies Last

• \$184.99

7.5 Amp Corded 4-1/2 in. Paddle Switch Grinder

 Labvrinth Construction Protects the Motor from Dust & Debris

• Includes: Grinder, Grinding Wheels,

Diamond Blade & Aluminum \$102.55 Case.

SKU#: MAK9557PBX1

While Supplies

40-Volt max XGT Brushless **Cordless Blower Kit**

- One-Battery Solution to Handle the Most Demanding Jobs
- XGT Features Purpose-Built Brush-less Motors for



SKU#: MAKGBU01M1

Pressure Washer: 3,000 Psi 7 Hp, 2.4 GPM

• Powers the expanding 18V LXT line of cordless tools • \$242.00

• (2) 5.0Ah Battery & Rapid Charger

• 3yr. Warranty

SKU#: MAKBL 1850BDC2





www.rjsconstructionsupply.com



Provide Emergency Power in the Case of an Outage or just Power the Fun Stuff with a GP Series Portable Generator. Affordable reliability and innovate Features not usually found on basic Portable Generator Models make these Ideal for Home use, Camping, Job Sites or









(Handle and Wheel Kit included)



Pressure Washer: 3.000 Psi 7 Hp, 2.4 GPM

• Honda GX200 OHV Cold Water CA Aluminum Series Gasoline Direct Drive Industrial Pressure Wash

1.5 HP Electric Air Compressor

• 8 Gallon air Compressor Features an

Industrial Electric Motor, Auto Start/Stop

1.5 HP Industrial Flectric Motor 120V

• 25ft. x 3/8-inch non-marking high pressure hose with auick connects.

1yr. Warranty

Flat-free Tire

8 Gallon Twin

Mi-T-M

Powder Coated

Tank Receivers

SKU#: MITMAC2PH0808M

SKU#: MITMWP3000

8 Gallon Portable



\$795.95

• \$1.372.50

• \$549.99

SKU#: MITMAC1HE0205M

2Hp Oilless 3Gal. Compressor

- A super Quiet, 2 Horsepower 1700RPM Motor
- Powerful 120-150 PSI Operating Pressure

 Oil-Free Single Stage 2 Cylinder Pump

ROLAIR

SKU#: ROLJC20



5.3 Gal., Hot Dog Portable Air Compressor

• Air Tank Style Hot Dog, Output Power 2 Hp, Free Air Flow Rate 6.5 CFM

• 120V AC, Current Rating 13.8 A, Sound Level 88DBA

 Max Operating Pressure 130 PSI



SKU#: ROLVT25BIG

9 gal, Wheelbarrow, Air Compressor

• Air Tank Style Wheelbarrow, Output Power 1.5 Hp, Free Air Flow Rate 7.3cfm

Maximum Operating Pressure 135 PSI



SKU#: ROL5715K17



2-HP 5-Gallon Contractor **Twin Stack Air Compressor**

• 4.2 CFM at 90 Psi is Ideal for Small Indoor Jobs

 Includes Regulator and 2 Gauges for Tank and Outlet Pressure


• Thermal Overload Circuit Protects the Motor.

Mi-T-M









Hold Downs with SDS (Sizes 2, 4, 5, 8, 11, & 14)

• Pre-Deflected Body Virtually Eliminates Deflection Due to Material Stretch


• Uses SDS Screws, which Install Easily, Reduce Fastener Slip

SKU#: SIMHDU

LUS Joist Hangers (Sizes 24, 26, 28, 210 & Doubles)

Joist Hangers are Designed to Provide Support Underneath the Joist, Rafter or Beam to Provide A Stronger Connection.

SKU#: SIMLUS



- Column Bases Include SDS Screws for Faster Installation
- Standoff Base Keeps the Post Elevated Above the Concrete Reducing the Chance of Rot

SKU#: SIMCBSQ

Anchor Bolt (Available in HDG & Black, 5/8 & 3/4)

- •High-grade Construction with Galvanized Finish for Durability
- Works Well with Treated Lumber
- Includes Nut for Convenient Use



SKU#: AN5812

3in.x3in. Bearing Plate (Available in HDG & Black)

- Made from 3/16-in Steel
- Dimensions: 3in x 3in
- Offer Increased Flexibility While Meeting the Latest Requirements of the Code for 2x4 & 2x6 Walls.

SKU#: UPB583



Machine Bolt (Available in HDG, Platted, & Black)

- Great Strength to Weight Ratio
- Sizes Range from 1/2in. 1in. Diameter & 3in - 15in Length
- Used to Connect Both Metal & Wood Components.

SKU#: MB58



ECCQ66-SDS2.5ROT (90 Deg. Rotated Straps)

SPECIAL PRODUCTS IN REGULAR STOCK

A High-Capacity Connection for Column-Beam Combinations.

Adding better Fasting in Redistricted Spaces.


SKU#: SIMECCQ66ROT



ECCLR444 Bolt On Right Corner Column Cap

Column Caps provide a right connection between (2) 4x beams & (1) 4 x 4 posts when both beams end at the post.

SKU#: SIMECCLR444




Flat Washer (Available in HDG, Platted, & Black)

- Prevents Nuts & Bolts from Pulling Through
- Available in a variety of sizes and finishes

SKU#: BW58

SB Anchor Bolt (Available in HDG & Black)

- Industry Leader in Structural Hardware Engineering Since 1956
- Diverse Product Line for DIY and Residential
- Hex Nuts and Plate Washer Fixed in Position



Stab Anchor Bolt (Available in HDG & Black)

- Anchor bolt for Simpson Strong-Tie Hold downs and Shear-walls
- Extensively tested and code listed
- Suitable for monolithic and two-pour concrete applications

SKU#: SIMSSTB24

Hex Nut (Available in HDG. Platted, & Black)

- Prevents tension and shear movement by securing facing materials
- Sizes Range from 1/2in. 1 1/8in.

SKU#: BN58



Lag Screw (Available in HDG, & Platted)

- Stronger and Thicker than Typical Wood Screws
- Sizes Range from 1/2in. 1in.

SKU#: LBP125



2-3/8" x .148" - 10D - 21°

Vinyl Coated For Smooth Driving,

Smooth Shank, NON-Galvanized, Plas-

Smooth Shank

tic Collated Strip Nails

• 10D 'Framer' - 2 3/8"

x .148" - Vinvl Coated.

2-1/2" x 0.131" - 21°

Full Round Head SKU#: HOB23148

Custruction-industrial Tools & Supples



36V Brushless, 7-1/4 in. Cordless Rear Handle Circular Saw Kit

• LIGHTEST IN ITS CLASS: 2 lbs.

Lighter than the Leading Rear Handle

36V MultiVolt Portable Rebar

Anywhere or Rely on the MultiVolt AC Adapter

Circular Saw
• RUNTIME: Up

to 500 2x4 Cuts Per Charge

• MOTOR: 5100 RPM No-Load Speed

SKU#: HIC3607DWAM

Cutter/Bender

• (3) FREE Power Tools

with Purchase

VALUE VALUE

SKU#: HIVB3616DAM



• INDUSTRY FIRST: 36V Cordless Rebar Bender & Cutter

• DUAL POWER: Power with the MultiVolt Battery for use

While Supplies Last!

21-Degree Pneumatic Framing Nailer

- Powerful Driving with the Metabo HPT Cylinder Valve Drive Mechanism
- Selectable Trigger Mode; Choose Contact or Single Sequential Actuation Mode via Switch in the Trigger



•\$2,500.00

1-1/8 in. Hex Demolition Hammer

• **POWERFUL:** 10.8 Amp (1,340 W input) motor

• 33.2 ft/lbs of impact energy for heavy-duty demolition

SKU#: HIH65SD3

Hot Dip Galvanized Galvanized Steel Provides a Layer of Coating with A Measure of Protection Against the Elements

• 5,000 nails; Weighs Aprox. 50 Pounds

SKU#: HDB24131



3-1/4" x 0.131" - 21° Hot Dip Galvanized

 Galvanized Steel Provides a Layer of Coating with A Measure of Protection Against the Elements

• 4,000 nails; Weighs Aprox. 50 Pounds

SKU#: HDB32131



2-3/8" x .148" - 21° Ring Shank

- Ring Shank Design for Added Holding Power
- 4,000 nails; Weighs Aprox. 50 Pounds

SKU#: HOR23148





1-1/2" x 0.131"Posi Placement Joist Hanger Nail

- 33° Paper Tape Hardware Bright Collated Nails
- Not Recommended For Use with ACQ Treated Wood

SKU#: KXB14131H



40D Bright Steel Smooth Shank Common Nails

- For General Construction, Including Carpentry, and Framing
- Larger Shank for More Strength and Resistance to Bending

SKU#: NCM40



SubFloor Glue



SKU#: LUM2X4X20

Wood Stakes

18" 24" 36" 48" 5/8 & 3/4 Plywood CDX



2x4x16' & 20' 2x6x16 & 20'

7-1/4 Circular Saw Kit HIC3607DWAM

High-Torque Impact HIWR36DAQ4M

netabo men



• \$1,033.89





Top-Cast® Top-Surface Retarder

- Top-Cast is a Water-Based, Top-Surface Retarder which Does Not Require Covering with Plastic for Protection. It is Available in 12 Depths of Etch, Each One Color & Number Coded for Safety & Convenience.
- Top-Cast Application Easier While Providing Various Levels of Protection with A Range of Glossy Finishes.

03 TOP-CAST OP-CAST











SKU#: TOPCAST01


SKU#: TOPCAST3

SKU#: TOPCAST5

SKU#: TOPCAST125

0		NO. CODE	ETCH AGGREGATE SIZE TO EXPOSURE	PACKAGE COLOR
MICRO		01	Light Acid Wash	White
		03	Acid Etch Finish	Violet
		05	Sandblast Finish	Light Blue
FULL-DEPTH MEDIUM EXPOSURE		15	Up to 1/4" (6.5 mm)	Yellow
		25	1/8"- 1/4" (3 mm-6.5 mm)	Beige
		50	1/8"- 3/8" (3 mm-9.5 mm)	Canary Green
		75	¹/s"- ³/s" (3 mm-9.5 mm)	Blue
		100	³/s"- ¹/2" (9.5 mm-13 mm)	Gray
		125	³/s"- 5/s" (9.5 mm-16 mm)	Pink
		150	³/s"- 5/s" (9.5 mm-16 mm)	Green
		200	5/8 – 1" (16 mm–25 mm)	Salmon
	2000年	250	1"-11/2" (25 mm-38 mm)	Orange

3" & 4" PVC JOINTS & SOLVENTS



3in. & 4in. x 10 ft. PVC **Solid Pipe**

- Ideal for Heavy-Duty Uses and can Resist Temperature up to 140F
- Made from PVC material that offers watertight joints
- Requires Basic Cutting Tools & Solvent Cement

SKU#: P4SDR35



3in. & 4in. x 10 ft. PVC **Perforated Pipe**

- PVC Pipe is for sewer and storm drainage applications
- PVC pipe is installed using primer and solvent cement
- Used Where Systems Won't Exceed 140°

SKU#: P3SDR35P









Drain Sock 4" x 100' Drain Filtration Sleeve

- Use with Perforated Pipes that are 3 - 4in. In Diameter
- Fits Pipes Over Any Pipe Bends or Elbows
- Filters Out Sand and Sediment

SKU#: FILTERSOCK4





ALL YOUR WATER PROOFING NEEDS

6Ontinental **⅓**

Blue Rubber 200 PSI



 Rubber Hose that is Reinforced for High Burst Strength

 Crush Resistant brass fittings.

White 1" x 50' Single



 Coupling Male & Female Proof Test Presure 300 PSI Polvester Single

Jacket (Mildew Resistant)

Discharge Hose, PVC, Fire Hose (Alum Couplings) Lay-Flat, Flex, Reinforced



• 1 1/2", 3", 4" Couplings in Stock

MEL-ROL_®LM

- Waterproof Very Low Vapor Permeability
- Superior Elongation Bridges Minor Cracks: Will not Become Brittle with Age
- Fully Bonded Water Will not Run Beneath the Membrane.





Decko Foam (Sizes 3", 3.5", 4", & 6")

- Pre-scored Strip is Easily Removed
- Economical Alternative to
- **Expansion Joints** Controls Amount

of Sealant Needed & Acts as A Bond Breaker

SKU#: DECKOFOAM

MEL-PRIME WB

- Ready to Use
- Easy to Apply/No Harmful Odors
- Brown to Blackish in Color & Turns to Full Black After Curing for Easy, Visible Identification of Coverage Area
- Compatible with Full Line of W. R. MEADOWS Building Envelope Products

SKU#: MFI PRIME5



MEL-ROL®

- Cost-Effective Water Proofing Protection Against Damaging Moisture Migration & the Infiltration of Free Water
- Offers A Quick & Easy-to-Apply System for Maximum Productivity





Prime Choice When Handling Water with Solids, Sump Pumps are Ideal for Messy Jobs.

QP-3TH



3IN. HONDA MOTOR TRASH PUMP



1 HP SUBM. **PUMP WITH FLOAT**



LITTLE GIANT UTILITY PUMP



SUBM. PUMP



Vapor Barrier 10Mil & 15Mil

- Low Water Vapor Permeance
- Perfect for Soil & Granular Fills
- Restricts the Migration of Gases SKU#: VAPORBLOCK



Visqueen 2, 4, 6 & 10Mil

- Polyethylene Sheeting
- Medium-Duty
- Use in a Variety of Construction & DIY **Applications**

SKU#: V1020100



MEL DRAIN

- High Flow Capacity, Without Clogging/Relieves Hydrostatic Pressure Buildup
- High Compressive Strength/Dependable, Long Life Performance
- · Easy to Install; Durable Under Job-site Conditions with Lower Total Installed Cost

SKU#: MELDRAIN5012







CARBIDE CUTTING SOLUTIONS MORE CUTS. IN LESS TIME.

© Canoga Park 818.704.4888

RECIPROCATING BLADES


Diablo is Changing the Game in Reciprocating Blade Performance. From the Leading Innovation Introduced in Our Industry First Carbide-teeth Blades for Metal Cutting to the Advancements. in Bi-metal Reciprocating Blades, Diablo's Carbide & Bi-metal Reciprocating Blade Series Offers the Best Solution for All Applications.













10ft. Platform Stepladder 300lb. Load Capacity

- Reinforced Edge Bracina
- Durable Fiberglass Frame
- Standard ANSI, CSA, & OSHA Certification
- Includes Prop Top with Tool Slots & Built in Magnet

SKU#: LOFS1510



- Extra Stability from Wide Bonded, non-marring Foot Tread
- Durable Fiberglass Frame
- Standard ANSI, CSA. & OSHA Certification
- Includes Prop Top with Tool Slots & Built in Magnet

SKU#: LOFS1508



- "D" Shapped Rungs
- Orange Side Rails
- Steel Swivel Shoes
- Heavy Duty Steel Braces

SKU#: SUNFE1A16-C

Industry Approved!

4ft. Platform Stepladder 375lb. Load Capacity

- Extra Stability from Wide Bonded, non-marring Foot Tread
- Slip-resistant 3" steps
- Standard ANSI, CSA.
- & OSHA Certification
- Reinforced Edge Bracing

SKU#: SUN1A04-C



- Platform Heights Adjust in 2in. Increments for Versatility
- Meets OSHA and ANSI Scaffolding Regulations
- 1-person Setup with No Tools Needed















• 7701 Canoga Ave. Canoga Park, CA 91304 (818) 704-4888

 4505 Manhattan Beach, Blvd. Lawndale, CA 90260 (310)973-2018

SCMSDC Southern California Minority Supplier Development Council

Q.



7701 Canoga Ave. Canoga Park, CA 91304